



**accu's voor grasmaaiers**

Type			CROSS	CROSS STANDARD	CROSS DIN	DIMENSIONS mm				FIGURE	TERMINALS			KG	quantity box	BRUT €	
						L	W	H	TH		n°	FRONT	SIDE				TOP
<b>agm-sealed</b>																	
LP12-20	12	20	200	F19-12B / NH12-20 SLA12-18 / NP18-12		519.901	186	81	170	170		T3				5,70	1
EB22-3	12	18	250	F19-12B / SLA12-22 / EB20P-3-1	519.013.017	519.901.017	186	81	170	170		10				5.62	4
LT16-4	12	14	230	YTX16-BS / YTS16-4		514.902.022	151	88	162	162		4				4.99	4
<b>SMF-CALCIUM GESLOTEN MET MAGISCH OOG</b>																	
SMF-U1-250	12		250	U1 - U1-9 - 4901	530.34 - U1-9	530.034	197	132	160	181		17				7.4	1
SMF-U1R-250	12		250	U1R - U1R-9 - 4900	530.30 - U1R-9	530.030	197	132	160	181		17				7.4	1
SMF-U1-355	12		360	U1-11	SMF-11U1L	530.034	197	132	160	181		17				8.4	1
SMF-U1R-355	12		360	U1R-11	SMF-11U1R	530.030	197	132	160	181		17				8.4	1

## agm + acidpack

<b>EBX14AH-BS</b>	12	12	210	YTX14AH-BS / YT14A-4	YB14-A2 / YB14-B2	512.908.021	136	91	168	168		4				4.52	4
<b>EBX14AHL-BS</b>	12	12	210	YTX14AHL-BS / YT14A-3	YB14L-A2 / YB14L-B2 / 12N14-3A	512.918.021	136	91	168	168		4				4.52	4

<b>EBX16-BS</b>	12	14	230	YTX16-BS / YTS16-4 / LT16-4		514.902.022	151	88	162	162		4				4.99	4
<b>EBX20CH-BS</b>	12	18	270	YTX20CH-BS / YTX20A-BS /	YB16B-A	518.908.027	151	88	162	162		4				5.59	4

<b>EBX18-BS</b>	12	18	250	YTX18-BS	YB18NA-A		206	89	162	162		4				6.43	2
<b>EBX18L-BS</b>	12	18	250	YTX18L-BS	Y50N18L-A / 12N18-3A		206	89	162	162		4				6.43	2

## CONVENTIONEEL DROOG MET ZUURFLES

<b>12N24-4 DRY</b>	12		220	DRY + ACIDBOTTLE	530.34 - U1-9	530.034	197	132	160	181		3				7.66	2
<b>12N24-3 DRY</b>	12		220	DRY + ACIDBOTTLE	530.30 - U1R-9	530.030	197	132	160	181		3				7.66	2

VANAF JUNI NIEUW : to



repassing : husquevarna zitmaaiers = EBX16-BS + ACIDPACK