









LEOCH AGM-deeppcycle : LPC series

Type	V	AH 20H	AH 10H	layout	POOL BORNE	POOL BORNE	afmetingen - dimensions				kg	PCS box	PICTURE	BRUT
							L/L mm	B/L mm	H mm	TH/HT mm				
LPC12-8.0	12	8,58	8	3	T2	faston	151	65	93,5	99	2,45	5		
LPC12-13 - T2	12	13,90	13	3	T2	faston	151	98	97,5	97,5	4,05	4		
LPC12-13 - T15	12	13,90	13	3	T15-1	M5	151	98	97,5	97,5	4,05	4		
LPC12-20RZ - T3	12	21,40	20	2	T3	M5	181	76,2	167	170,5	6,00	2		
LPC12-20RZ - T12	12	21,40	20	2	T12	M5	181	76,2	167	170,5	6,90	2		
LPC12-26	12	27,80	26	2	T3	M5	165	175	125	125	9,35	1		


LPC12-26H	12	27,80	26	2	T3	M5	165	125	175	175	9,35	1		
LPC12-33	12	35,40	33	1	T5	M5	195	130	164	182	11,65	1		
LPC12-42	12	45,00	42	2	T6	M5	197	165	172	172	14,50	1		
LPC12-55	12	59,00	55	1	T6	M5	228	138	210	216	17,70	1		
LPC12-60R	12	64,40	60	2	T6	M5	259	168	190	190	19,50	1		
LPC12-75	12	80,00	75	1	T6	M5	258	174	208	214	21,00	1		
LPC12-80	12	81,20	78	2	T6	M5	350	174	190	190	24,30	1		
TC12-90	12	90,00	84	2	din	din	353	175	190	190	26,20	1		
LPC12-90	12	96,40	90	1	T6	M5	300	168	207	213	27,00	1		

uitlooptype vervangen door LP12-70 en TC12-90


LPC12-100	12	107,20	100	1	T11	M8	330	174	212	220	30,40	1	
LPC12-120	12	128,60	120	1	T11	M8	410	177	225	225	37,60	1	
LPC12-140	12	150,00	140	1	T11	M8	344	171	274	280	45,50	1	
LPC12-150	12	160,80	150	1	T11	M8	485	170	240	240	43,50	1	
LPC12-200	12	214,40	200	4	T11	M8	522	240	218	224	61,50	1	
LPC12-250	12	268,00	250	4	T11	M8	522	268	220	226	73,00	1	

POLEN - BORNES :


T2



T6/T11



T3 / T5



DT



SCHEMAS :


1



2



3



4



5

